ΔD	
<u> </u>	

Award Number: DAMD17-00-1-0300

TITLE: Breast Cancer Biomarkers in Nipple Aspirates From Women Treated with Estrogen Receptor Blockers

PRINCIPAL INVESTIGATOR: Edward R. Sauter, M.D., Ph.D.

CONTRACTING ORGANIZATION: Thomas Jefferson University

Philadelphia, Pennsylvania 19107

REPORT DATE: July 2002

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

Management and Budget, Paperwork Reduction Project	ct (0704-0188), washington, DC 20503			
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE		PORT TYPE AND DATES COVERED	
	July 2002	Annual (1 July		
4. TITLE AND SUBTITLE			5. FUNDING N	
			DAMD17-00-1	-0300
Breast Cancer Biomar				
Women Treated with E	strogen Receptor H	Blockers		
6. AUTHOR(S)				
Edward R. Sauter, M	I.D., Ph.D.			
7. PERFORMING ORGANIZATION NAM	IE(S) AND ADDRESS(ES)		8. PERFORMIN	G ORGANIZATION
7. FERI ORIVING ONGARIZATION NAME	IEIO, MIED MEDITEDIAL		REPORT NU	MBER
Thomas Jefferson Uni	versitv			
Philadelphia, Pennsy				
initiadelphia, remisy	I Vallia I I I I I			
	Atom a doc			
email - Edward.Sauter@mail.				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSORING / MONITORING AGENCY REPORT NUMBER		
IIC A Madical Descends and M	Istarial Command		AGENCY	REPORT NOWIDER
U.S. Army Medical Research and Materiel Command				
Fort Detrick, Maryland 21702-5012	2			
11. SUPPLEMENTARY NOTES			<u> </u>	
,,,,				
				The promise of the second
12a. DISTRIBUTION / AVAILABILITY S		imi+04		12b. DISTRIBUTION CODE
Approved for Public Rele	ase; Distribution Uni	Imirced		

13. ABSTRACT (Maximum 200 Words)

The purpose of our study is to determine if 1) success in collecting nipple aspirate fluid (NAF) increases with experience, 2) NAF biomarkers (cytology, ploidy, cell cycle parameters, and prostate-specific antigen, PSA) change in response to treatment with tamoxifen (TAM) or raloxifene (RAL), and 3) NAF biomarker changes are associated with future breast cancer risk. Our hypothesis is that NAF biomarkers will respond to treatment with TAM or RAL, and that biomarker change(s) will predate clinical findings observed on mammography or physical examination. Postmenopausal women at increased breast cancer risk who have entered the Study of Tamoxifen and Raloxifene (STAR) trial are eligible. Our study collects NAF prior to starting and 6 months after initiating TAM or RAL, as called for by the STAR trial. This multiinstitutional trial currently involves three centers (Thomas Jefferson University, UCLA and Fox Chase Cancer Center).

14. SUBJECT TERMS breast cancer, nipple	aspirates, biomarkers,	estrogen receptor	15. NUMBER OF PAGES 5
blockers		16. PRICE CODE	
Diockers			
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
OF REPORT Unclassified	OF THIS PAGE Unclassified	OF ABSTRACT	Unlimited
Unclassified	Unclassified	Unclassified	

Table of Contents

Cover	1
SF 298	
Introduction	4
Body	4
Key Research Accomplishments	5
Reportable Outcomes	5
Conclusions	5
References	5
Appendices	5

INTRODUCTION

We are enrolling postmenopausal women at increased breast cancer risk who have entered the Study of Tamoxifen and Raloxifene (STAR) trial. Our study collects nipple aspirate fluid (NAF) prior to starting and 6 months after initiating tamoxifen (TAM) or raloxifene (RAL), as called for by the STAR trial. The purpose of our study is to determine if 1)success in collecting NAF increases with experience, 2) NAF biomarkers (cytology, ploidy, cell cycle parameters, and prostate-specific antigen, PSA) change in response to treatment with TAM or RAL, and 3) NAF biomarker changes are associated with future breast cancer risk. Our hypothesis is that NAF biomarkers will respond to treatment with TAM or RAL, and that biomarker change(s) will predate clinical findings observed on mammography or physical examination. This multiinstitutional trial currently involves three centers (Thomas Jefferson University, UCLA and Fox Chase Cancer Center). If our hypothesis proves correct, then nipple aspiration may provide a useful noninvasive method to evaluate response to treatment.

BODY

Below we address each task in the approved Statement of Work.

Task 1. Evaluate the success of dedicated individuals in performing nipple aspiration (Months 1-32).

A. Notify physicians at Thomas Jefferson University and its Network Hospitals, as well as at the University of California at Los Angeles (UCLA) and its participating institutions, that the study has begun (Months 1-3).

This has been done. We now have a third institution, Fox Chase Cancer Center, that is part of the study.

B. Dr. Sauter to UCLA to insure consistency among institutions in the nipple aspirate technique.

UCLA hired a nurse experienced in nipple aspiration whom I observed in 1999. Both the nurse coordinator at Jefferson and I have trained the nurse coordinator at Fox Chase to perform nipple aspiration. The success in collecting NAF at each institution is as follows:

Institution	Subjects	Visits
TJU	12/13	18/19
UCLA	3/3	6/6
Fox Chase	4/4	5/5
Totals	19/20(95%)	29/30(97%)

C. Enroll subjects for initial (Months 1-28) and repeat aspirations (Months 7-34).

This is ongoing.

D. Work with the data management programmers to establish data entry files for use by participating research laboratories (Months 1-6).

This has been done.

E. Evaluate the success of collecting nipple aspirate fluid during years 1, 2, and 3 (Months 24-36).

Please see response to B above. NAF not obtained from only one individual consented to enroll in year 1 of the study.

Task 2. Assess biomarkers obtained in samples

A. Begin evaluation of NAF specimens. Evaluate NAF cytology, ploidy, cell cycle parameters, and PSA (Months 1-32).

We have done this. Our sample size is insufficient for statistical analysis.

B. Finalize the analysis of specimens. Compare results at baseline vs. treated samples.

This will be performed later.

C. Prepare an outline of NAF biomarkers which indicates how frequently and in which direction (favorable or unfavorable) each has changed after treatment.

This will be done when the sample size is larger.

D. For each biomarker, determine if there is an association between a biomarker change after treatment with tamoxifen/raloxifene and risk of precancer/cancer in the breast. This determination will be made in Month 36 of the study and after all subjects have received 5 years of treatment.

This will be done later.

KEY RESEARCH ACCOMPLISHMENTS

- Preliminary evidence that nipple aspiration can be successfully taught and performed by health care providers at multiple institutions
- Recruitment of subjects at increased breast cancer risk enrolled on the STAR trial at multiple institutions with limited funding
- NAF sample analysis performed by experts at multiple institutions

REPORTABLE OUTCOMES

- 1. IRB approval at Thomas Jefferson University, UCLA, Fox Chase Cancer Center and Ellis Fischel Cancer Center
- 2. 20 subjects enrolled, and 12 have completed the trial.
- 3. evaluation of all biomarkers for ????
- 4. successful NAF collection from 95% of subjects and 97% of visits

CONCLUSIONS

Our preliminary findings demonstrate that nipple aspiration can be learned and successfully performed at multiple institutions, indicating that it is feasible to perform the procedure on a wide scale, should useful biomarkers be identified.

REFERENCES

Ehya H, Iacono R, Klein-Szanto AJP, James J, Daly MB, Sauter ER. Breast Cancer Biomarkers In Nipple Aspirates From Women Treated With Estrogen Receptor Blockers. Department of Defense Breast Cancer Research Program Mtg, 2002.

APPENDICES N/A